




4.2.1

Any Other Relevant Information

1) Radiology Certificates:

Certificate of Pre-Conception & Pre-natal Diagnostic Techniques Prohibition of Sex Selection

GOVT. OF MAHARASHTRA


सत्यमेव जयते

Public Health Department
(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES
PROHIBITION OF SEX SELECTION) ACT 2003)
SCHEDULE III

CERTIFICATE OF REGISTRATION

1. In exercise of the power conferred under Sec.19 (1) of the Pre-natal Diagnostic Techniques (Regulation and prevention of Misuse) Act, 1994 (57 of 1994), the Appropriate Authority.....
Civil Surgeon Latur..... hereby grants registration to the Genetic Counseling Centre*/ Genetic Laboratory*/Genetic Clinic*/U.S.G. Centre* named below for purposes of carrying out Genetic Counseling Pre-natal Diagnostic Procedures*/ Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on 08/01/2027

2. This registration is granted subject to the aforesaid Act and Rules thereunder and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and address of the Genetic Counseling Center*/ Genetic Laboratory*/ Genetic Clinic*.
MIMSR Medical College & YCR Hospital, Ambejogai Road, Latur.

B. Name of Applicant for registration.....
Principal, MIMSR Medical college, Latur.

C. Pre-natal diagnostic procedures approved for (Genetic Clinic),
 (i) Ultrasound (ii) Amniocentesis
(iii) Chorionic Villi biopsy (iv) Foetoscopy
(v) Foetal skin or organ biopsy (vi) Cordocentesis
(vii) Any other (specify)

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)
(i). Chromosomal studies (ii). Biochemical studies 1) WiProGE-Logiq-200-33504756.
(iii). Molecular studies 2) WiProGE-Logiq P6-193865543.
3) WiProGE-Logiq P5-197535548.
4) WiProGE-Logiq V5-368425VX5.

3. Make Model & Machine No.

4. Registration No. allotted : - 38

5. For renewed Certificate of Registration only
Period of validity of earlier Certificate From 09/01/2017 To 08/01/2022 or Registration.

Date : 29/06/2022

Signature [Signature] Name and Designation of
the Appropriate Authority.....
निर्देशात्मक विधि से, लतूर

Registration for Operation of Medical Diagnostic X-ray Equipment

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्
विकिरण संरक्षा प्रभाग



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD
RADIOLOGICAL SAFETY DIVISION

Case File Number: MH-22509-RF-XR-002

Issuance Date: 08/01/2020

Document Number: 14-LOEE-13683

Expiry Date: 22/07/2024

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. LAXMAN KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Wipro GE Healthcare Private Limited	DX-300	G-XR-18093

The HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR and DR. LAXMAN KASTURE are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. LAXMAN KASTURE

MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE
VISHWANATHPURAM, AMBEJOGAI ROAD
LATUR, MAHARASHTRA-413531

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650



Case File Number: MH-22509-RF-XR-003

Issuance Date: 08/01/2020

Document Number: 14-LOEE-13354

Expiry Date: 18/07/2024

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. LAXMAN KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	M/s. Philips India Limited	Diagnox-500	G-XR-18101

The **HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR** and **DR. LAXMAN KASTURE** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued **ONLY** from the **RADIATION SAFETY VIEW POINT**. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

Dr. P. K. Dash Sharma
Head, RSD

DR. LAXMAN KASTURE

MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE
VISHWANATHPURAM, AMBEJOGAI ROAD
LATUR, MAHARASHTRA-413531

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650



Case File Number: MH-22509-RF-XR-009

Issuance Date: 07/09/2020

Document Number: 15-LOEE-66370

Expiry Date: 07/09/2025

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules (AE(RP)R), 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. LAXMAN KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Fixed)	Wipro GE Healthcare Private Ltd.	DX-525 (Fixed)	G-XR-40778


The HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR and DR. LAXMAN KASTURE are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.


Dr. P. K. Dash Sharma
Head, RSD

DR. LAXMAN KASTURE

MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE
VISHWANATHPURAM, AMBEJOGAI ROAD
LATUR, MAHARASHTRA-413531

Note: This document is also available at www.aerb.gov.in/elora





Case File Number: MH-22509-RF-XR-012

Issuance Date: 04/03/2021

Document Number: 15-LOEE-68433

Expiry Date: 04/03/2026

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. LAXMAN KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Vision Medicaid Equipment Private Limited	Vision A- 60	G-XR-40795


The **HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR** and **DR. LAXMAN KASTURE** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.


Dr. P. K. Dash Sharma
Head, RSD

DR. LAXMAN KASTURE

MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE
VISHWANATHPURAM, AMBEJOGAI ROAD
LATUR, MAHARASHTRA-413531

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अनुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)



Case File Number: MH-22509-RF-XR-001

Issuance Date: 08/01/2020

Document Number: 14-LOEE-13353

Expiry Date: 18/07/2024

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. LAXMAN KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Radiography (Mobile)	M/s. Philips India Limited	Diagnox 100	G-XR-18087


The HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR and DR. LAXMAN KASTURE are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.


Dr. P. K. Dash Sharma
Head, RSD

DR. LAXMAN KASTURE
MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE
VISHWANATHPURAM, AMBEJOGAI ROAD
LATUR, MAHARASHTRA-413531

Note: This document is also available at www.aerb.gov.in/elora



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0656



फैक्स/Fax: 91-22-2599 0650

भारत सरकार
परमाणु ऊर्जा नियामक परिषद्



GOVERNMENT OF INDIA
ATOMIC ENERGY REGULATORY BOARD

अध्यक्ष
Chairman

Case File Number: MH-22509-RF-XL-008

Issuance Date: 20/03/2020

Document Number: 14-LOEE-21595

Expiry Date: 20/03/2025

LICENSE FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Licence** in favour of Dr. LAXMAN HARIBHAU KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Computed Tomography	M/s. GE YMS Medical Systems Asia	LightSpeed16	G-XL-22942

The HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR and DR. LAXMAN HARIBHAU KASTURE are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Licence is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.

(Competent Authority)

DR. LAXMAN HARIBHAU KASTURE
MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE,
VISHWANATHPURAM AMBEJOGAI ROAD ,



परमाणु ऊर्जा नियामक परिषद्, नियामक भवन, अणुशक्तिनगर, मुंबई 400094 (महाराष्ट्र)
Atomic Energy Regulatory Board, Niyamak Bhavan, Anushaktinagar, Mumbai 400094 (Maharashtra)

वेबसाइट/Website: www.aerb.gov.in

दूरभाष/Tel: 91-22-2599 0604

फैक्स/Fax: 91-22-2599 0344



Case File Number: MH-22509-RF-XR-006

Issuance Date: 04/03/2021

Document Number: 14-LOEE-13682

Expiry Date: 04/03/2026

REGISTRATION FOR OPERATION OF MEDICAL DIAGNOSTIC X-RAY EQUIPMENT

In exercise of powers conferred under Section 16 and 17 as applicable of Atomic Energy Act, 1962 read in conjunction with Rule (3) of the Atomic Energy (Radiation Protection) Rules {AE(RP)R}, 2004, the Atomic Energy Regulatory Board (AERB) hereby issues **Registration** in favour of Dr. LAXMAN KASTURE to operate the following medical diagnostic x-ray equipment located at MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, VISHWANATHPURAM, AMBEJOGAI ROAD LATUR, MAHARASHTRA-413531 for medical diagnostic purpose.

Type of Equipment	Manufacturer	Model	Equipment ID
Mammography	M/s. GE Healthcare	Senographe 600T	G-XR-18105


The **HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR** and **DR. LAXMAN KASTURE** are hereby identified as the Employer and licensee respectively, for the purpose of assigning the responsibilities specified in the Atomic Energy (Radiation Protection) Rules, 2004, in respect of radiation protection of workers, public and environment because of operation of the above equipment.

The Employer and Licensee are responsible for,

- I. Ensuring compliance with the relevant provisions of the
 - i. Atomic Energy Act, 1962
 - ii. Atomic Energy (Radiation Protection) Rules, 2004;
 - iii. AERB Safety Code (AERB/SC/Med-2), 2001, Amendment 2012, and the revisions thereof
 - iv. All applicable Safety Codes, Guides issued by AERB for the above practice and regulatory documents issued by AERB from time to time.
 - v. Directives issued by Competent Authority from time to time.
- II. Ensuring compliance with terms and conditions stated overleaf.

Note:

This Registration is issued ONLY from the RADIATION SAFETY VIEW POINT. All other clearances shall be obtained from concerned state/central/local authorities as applicable.


Dr. P. K. Dash Sharma
Head, RSD

DR. LAXMAN KASTURE
MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE
VISHWANATHPURAM, AMBEJOGAI ROAD
LATUR, MAHARASHTRA-413531

Copy to: HOD, MAHARASHTRA INSTITUTE OF MEDICAL SCIENCES AND RESEARCH UNIT OF MAEERS PUNE, LATUR

Note: This document is also available at www.aerb.gov.in/elora



2) Medical Store:

Through sign



License Retention Letter

REGULATED/Unregulated
Office of the Assistant Commissioner,
Food & Drugs Administration, LATUR Circle
Central Building Second Floor
Shivaji Chowk, Collector Office
Latur

Print Date: 25/11/2020

License RETENTION
Firm Id : 95131

To,
AROGYA AMRUT MEDICAL & GENERAL STORES
(Partnership)
Milkat no 248 Gut no. 277/1
MIMSR Vaidkiya Mahavidyalaya Compound
latur - 413512
Taluka: LATUR District: LATUR
I/C Person: Baburao Santrao Mundhe, Anita Hanumant Ghule (Mobile: 9970346474)



Baburao Santrao Mundhe-PAR

Subject : - Drugs & Cosmetic Act - 1940 & rules there under

Sir,

Ref :- Your Inward Application vide Inw No:- BF:-857463, Dated:- 17/11/2020, Inw ID:- 857463

With reference to your Inward application, we have to inform you that your said application is approved & below mentioned licences are RETAINED, whose VALIDITY Dates are mentioned below :-

No	Name	Sex	Join Date	Regn No.	Inw-ID
1	R-P / YUORAJ AMBADAS DESHMUKH (EMP)	Male	06/02/2013	81392	
2	R-P / NAMDEV ANGADRAO NAGMUDE (EMP)	Male	06/02/2013	131871	
3	R-P / RAMRAO PANDHARI SIRSAT (EMP)	Male	22/11/2005	30952	
4	DIR / Baburao Santrao Mundhe (PAR)	Male	22/11/2005		
5	DIR / Anita Hanumant Ghule (PAR)	Female	22/11/2005		

Lic	License No.	Issue From	Renewed From	Valid Upto	Old LIC No
20	396930	22/11/2020	22/11/2020	21/11/2025	/2539
21	396931	22/11/2020	22/11/2020	21/11/2025	/3539

NAMDEV ANGADRAO NAGMUDE-(R-P)

Cold Storage: YES

Open 24 Hrs: NO

You are requested to apply for the Retention of the above licences 3 months before their VALIDITY expires.

The above mentioned licences need NOT be Sent by the Dept.

Kindly acknowledge the receipt of this letter.

Subject to NO-CHANGE in PREVIOUS Constitution (Partnership). AND Already approved PREMISES and VALIDITY of Regd. Pharmacist Registration in Pharmacy Council

The Licensee shall not claim any equities or rights in the property under reference on strength of this Retention Letter.

Renewal Fees Detail: ##### Pay ID:298840 - Amt:3000 - Pay Dt:17/11/2020 - GRN No:MH007073397202021E - Cert by:Auto~18/11/2020 - Vrf Dtls:0009657680202021~18/11/2020~Auto - Deface Dtls:0003204644202021~2020-11-18 14:13:13.915479~Auto

eSign
Digitally Sign

e-Signed on 24/11/2020 10:24:14

TPAV # TDJ39NSC7N



SACHIN SHIVDAS BUGAD
Assistant Commissioner
Food & Drugs Administration
LATUR Circle

This License/Certificate is eSIGNED. Physical Signature is NOT Required.

For online Third Party Approval Verification; Go to Fdamfg.maharashtra.gov.in & Click TPAVbutton. 25/11/20

3) Blood Bank:



FDA.Maharashtra,

FORM 26 - G

(See Rule 122-F)

Certificate of **renewal** of license to operate a blood bank for processing of Whole Human Blood and for preparation for sale or distribution of its components.

1. Certified that license number **28-C/AD/BB/013** granted on **02/12/2004** to **M/s. Dean. MAEER's Smt Saraswati Karad Blood Bank** for the Operation of a Blood Bank for processing of Whole Human Blood /or for preparation of its components at the premises situated at **Yashwantrao Chavan Rural Hospital Campus, Ambajogal Road, Latur, Dist- Latur (M.S.)** is hereby renewed with effect from **02/12/2019** to **01/12/2024**.

2. Name(s) of Items:

- | | |
|------------------------------|--------------------------------|
| 1) Whole Human Blood (I.P.) | 2) Packed Red Blood Cells(I.P) |
| 3) Fresh Frozen Plasma (B.P) | 4) Platelet Concentrate (I.P.) |
| 5) Cryoprecipitate (I.P.) | 6) Granulocyte Concentrate |

3. Names(s) of Competent Technical Staff

- 1) Dr. M. A. Sonwane, MBBS. DCP. - B.T.O.
- 2) Dr. M. P. Zille, MBBS - B.T.O.
- 3) Dr. B. D. Datal, MBBS - BTO

4. Name (s) of Technical Supervisor

- 1) Mr. G. V. Giram, B.Sc. DMLT, - Tech. Supervisor
- 2) Mr. V. R. Karnje, B.Sc. DMLT - Tech. Supervisor

5. Name (s) of Blood Bank Technicians -


- 1) Mr. A. T. Waghchoure, B.Sc. DMLT - Technician
- 2) Mr. M. M. Kulkarni, B.Sc. DMLT - Technician

6. Name of Registered Nurse :

- 1) Mrs. Sangita Sirsat - GNM.
- 2) Mrs. Padma V. Bidve - ANM.


Dated:- 21/09/2020

Signature


Central Licensing Approving
Authority Licensing Authority.
Dr. V. G. SOMANI
Drugs Controller General (India)
Dte. General of Health Services
Ministry of Health and Family Welfare
FDA Bhawan, Kotla Road, I.T.O.
New Delhi-110002



Signature


Sanjay S. Kale)
Licensing Authority.
Joint Commissioner (Aurangabad Division)
Food and Drugs Administration,
Aurangabad.

4) Oxygen Plant:

MIT Art, Design & Technology
University, Pune

(Estd. by Government of Maharashtra vide Act No. XXXIX of 2015)



MIT-ADT
UNIVERSITY
PUNE, INDIA
A leap towards World Class Education

PURCHASE ORDER

To, M/s. Technomet Enterprises Shop No. B1, B2 Prarthana Aakar Building, Telco Road, Yashwantnagar, Pimpri – 411018. Contact: Jayesh Dhoot +91 9850056327, 86982 45454 GST No. 27AACFT2874P1ZI	P.O. NO.: MAEER'S/ MITADTU/ 565 /2021
	Date: 19/05/2021
	For: MIT ADT University - Maharashtra Institute of Medical Sciences & Research (MIMSR), Yashwantrao Chavan Rural Hospital, Latur – 413 531.
	MIT ADT University GST No. 27AAAJM2219H1ZC
	Ref.: Your Quotation No. TP22F 0011/Q095/R1 Dt. 18/05/2021
	Delivery and Services at: Maharashtra Institute of Medical Sciences & Research (MIMSR), Latur – 413 531.

Sir,

As per your quotation we are forwarding herewith a Purchase Order. You are requested to supply the following machinery (Oxygen Generation Plant) as per specifications mentioned below.

Sr. No.	NAME OF THE ITEM/DESCRIPTION	QUANTITY	RATE IN RS.	TOTAL AMOUNT IN RS.
1	Manufacturing and Supply of Trident Make Onsite Oxygen Generator with Oil Lubricated Screw Air Compressor (Atlas-Copco/Chicago Pneumatics), Refrigeration Air Dryer, Air Tank, Oxygen Tank, Filters (Pre, After, and Bacteria Filters etc.) Oxygen Generator with PLC based controller with inbuilt sensor, Manifold system for secondary oxygen supply. Model: GO-390 Capacity: 390 LPM /23.4 M3/hr @ 4 to 4.5 Bar Pressure	01	46,61,017/-	46,61,017/-
Total Amount in Rs.				46,61,017/-
GST @ 18 %				8,38,983/-
Grand Total in Rs.				55,00,000/-

TOTAL AMOUNT IN WORDS RUPEES: FIFTY-FIVE LAC ONLY.




Received
Jayesh

Rajbaug, Loni Kalbhor,
Pune - 412 201 (MS) India. | Tel: +91 20 2691 2900 / 01/ 02 / 03
enquiry@mituniversity.edu.in

www.mituniversity.edu.in

TERMS & CONDITIONS:

7. Delivery: Within 14-16 Weeks
8. Warranty: 01 Year, Inclusive of all consumables
9. Transportation/Loading/Unloading: Towards Supplier
10. Payment: 50 % Advance and 50% Before Dispatch
11. Delivery: Maharashtra Institute of Medical Sciences & Research (MIMSR),
Latur - 413 531.
12. Our Contact Person: Mr. Sachin Munde 9765899990 & Mr. Samadhan Kumbhar
9604353535

Prepared By	Recommended By	Approved By
 Dr. Rajesh Jadhav Assistant Professor MIT ADT University Lonikalbhor, Pune.	 Dr. Mahesh Chopade Registrar MIT ADT University Loni Kalbhor Pune	 Dr. Mangesh T. Karad Executive President MIT ADT University, Loni Kalbhor Pune

5) Solar Inverter:



महाराष्ट्र शासन

अधीक्षक अभियंता यांचे कार्यालय

प्रादेशिक विद्युत निरीक्षण मंडळ, उद्योग, ऊर्जा व कामगार विभाग
शिवदास ट्रेड सेंटर, प्लॉट नं.११, हॉल नं. ४, पहिला मजला, त्रिमुर्ती चौक, जवाहर कॉलनी,
हेडगेवार हॉस्पिटल रोड, औरंगाबाद-४३१००५

दुरध्वनी- ०२४०-२९७०४३२

E-mail- cleinsabad.se@gmail.com

जा.क्र.अनिओ/सअअ/ ८० /२०१७ दिनांक: २२/०३/२०१७

seaurangabad.nrg-mh@gov.in

भारतीय विज अधिनियम २००३ नुसार व केंद्रीय विद्युत प्राधिकरण विनियम २०१० नुसार विनियम ४३ अंतर्गत या संबधीत नियमाप्रमाणे M/s Urja Engineering, M.C.4766, Supervisor Name: Kiran Anant Mate, M.S. no.16877 यांनी प्रमाणित केलेल्या खालील विवरणाच्या संचमांडणीस विद्युत पुरवठा जोडून कार्यान्वीत करण्यासाठी केंद्रीय विद्युत प्राधिकरण विनियम २०१० नुसार विनियम ४३ च्या अंतर्गत व विज अधिनियम २००३ च्या कलम १६२ अन्वये प्रदान केलेल्या अधिकारानुसार कायम परवानगी देण्यांत येत आहे. या संचमांडणीत विज पुरवठा जोडल्याचा दिनांक या कार्यालयास त्वरीत कळविण्यात यावा.


विद्युत संचमांडणीचे विवरण

500 KW Roof Top Solar P.V.Plant with allied equipment.-

Sr.No	Name of the Equipment	Make	Sr. No	Rating	Quantity
1	Solar Inverter	Fronius International GmbH	Sr. No. --28035857 Sr. No. -- 28035860 Sr. No. -- 27432675 Sr. No. -- 27432679 Sr. No. -- 27432681 Sr. No. -- 27474262 Sr. No. -- 27451708 Sr. No. -- 27451709 Sr. No. -- 27451710 Sr. No. -- 27451704 Sr. No. -- 27451712 Sr. No. -- 27451713 Sr. No. -- 27451714 Sr. No. -- 27451715 Sr. No. -- 27451717 Sr. No. -- 27424719 Sr. No. -- 27424721	20 KW x 2= 40 KW 25 KW x 4= 100 KW 27 KW x 11= 297 KW	17
3	1Cx4 Sq.mm. Cable	Sichem	Nil	42 Amp 1000 VDC Grade	4012 Mtrs.
	4Cx10 Sq.mm. Cable	Polycab	Nil	72 Amp 1.1KV Grade	70 Mtrs.
	4Cx16 Sq.mm. Cable	Polycab	Nil	92 Amp 1.1KV Grade	780 Mtrs.
	3.5Cx70 Sq.mm. Cable	Polycab	Nil	164 Amp 1.1KV Grade	80 Mtrs.
	3.5Cx95 Sq.mm. Cable	Polycab	Nil	196 Amp 1.1KV Grade	110 Mtrs.
	3.5Cx120 Sq.mm. Cable	Polycab	Nil	223 Amp 1.1KV Grade	180 Mtrs.
4	Solar Module	Hanwha Q CELLS	As per List Attached	320 Watt	1566 Nos.

at M/s. Maharashtra Institute of Medical Sciences and Research (MIMSAR) Vishwanathpuram. Ambejogai Road, Dist.Latur.

- ही संचमांडणी वेळोवेळी शासनाने सुधारीत केलेल्या केंद्रीय विद्युत प्राधिकरण विनियम २०१० नुसार विनियम ४३ प्रमाणे धोक्यापासून सुरक्षित राहिल हयाचा ग्राहक/पुरवठाकार नेहमी काळजी घेतील.त्यावर कोणताही विद्युत अपघात झाल्यास ग्राहक/पुरवठाकार जबाबदार राहतील.
- वरील संचमांडणीचे हया कार्यालयाकडून वार्षिक निरीक्षण करण्यात येईल.तरी त्यासाठी संबंधित निरीक्षण करणाऱ्या अधिकाऱ्यास योग्य चाचण्या घेण्यासाठी घेण्यासाठी उपकरणाची व्यवस्था करावी लागेल.
- वरील संचमांडणीचे केंद्रीय विद्युत प्राधिकरण विनियम २०१० नुसार विनियम क्र. ३,१९,२९ च्या अंतर्गत अधिकृत व परवानाधारक व्यक्तीतर्फेच पुर्ण सुरक्षिततेच्या साधनांचा अवलंब करून देखभाल व दुरुस्ती केली पाहिजे.
- ही परवानगी मिळाल्यानंतर वरील संचमांडणी ६ महिन्यांपर्यंत जर कार्यान्वीत झाली नाही तर परवानगी रद्द होईल. यास्तव संचमांडणीचे पुर्ननिरीक्षण करून नवीन परवानगी पत्र प्राप्त करून घ्यावे लागेल.
- हया संचमांडणीत कोणतेही बदल या कार्यालयाच्या लेखी परवानगी शिवाय करता येणार नाही.
- हया संचमांडणीवर कोणताही विद्युत अपघात झाल्यास महाराष्ट्र शासनाची अधिसूचना क्र.इएलडी/२०१२ प्र.क्र.८६/उजा-१ दिनांक १७/०४/२०१२ प्रमाणे विद्युत निरीक्षकास २४ तासांच्याआत तोंडी व ४८ तासांच्या आत लेखी सूचना विहित नमुन्यात देण्यात यावी.
- सदर परवानगी दोष पुर्ततेच्या अधिन राहून देण्यांत येत आहे.


[वि.व.नागदेव]

अधीक्षक अभियंता,
प्रादेशिक विद्युत निरीक्षण मंडळ
उ.ऊ.व.का.विभाग औरंगाबाद.

प्रत : मे.महाराष्ट्र इन्स्टीट्यूट ऑफ मेडीकल सायन्स अँड रिसर्च, विश्वनाथपुरम, अंबेजोगाई रोड, लातूर यांना माहितीस्तव.

प्रत : विद्युत निरीक्षक, विद्युत निरीक्षण विभाग, लातूर यांना माहितीस्तव.

6) Solar Plant:



RelyOn Solar

WORK / PROJECT COMPLETION REPORT

Project Name	Solar Power Plant at MAEER's Maharashtra Institute of Medical Sciences and Research, (MIMSR), Vishwanathpuram, Ambejogai Road, At Post-Latur, Maharashtra – 413 531
Project Capacity	500 kWp
Date of Completion	29/03/2017

Technical Specification:

Modules	Trina, 320 Wp
Modules Qty	1574 nos
Strings	14 Modules x 5 strings 1 module x 4 strings 2 modules x 3 strings
Inverter	Fronius Make Inverter 20kw x 2 nos 25kw x 4 nsos 27kw x 11 nos
DC Cable	1C x 4 Sqmm
AC Cable	4C x 10 Sqmm 4C x 16 Sqmm 3.5C x 70 Sqmm 3.5C x 95 Sqmm 3.5C x 120 Sqmm
MCB Capacity & Qty	320A x 1 no 200A x 1 no 160A x 2 nos
MCCB Capacity & Qty	320A x 1 no 200A x 1 no 160A x 2 nos

Datasheets Attached.

Shekhar Vaze
GM Projects
Relyon Solar Pvt. Ltd



JE LR1

Dy. Executive Engineer
M.S.E.D.C.L. Rural Sub-Division
Latur

7) Licence for working of the Lifts:



१९५२४४२२६४३५५८९८८८४

AA२.१००१७७५०२९०६२०१९



Licence No.: मु.वि.नि/२९०६२०१९/२६२०७

महाराष्ट्र शासन
उद्योग, ऊर्जा व कामगार विभाग
मुख्य विद्युत निरीक्षक
तिसरा मजला, प्रशासकीय इमारत, रामकृष्ण चेंबूरकर मार्ग,
चेंबूर (पूर्व), मुंबई ४०००७१

(विना अग्निशामक)

उद्वाहन चालविण्याची अनुज्ञप्ती
LICENCE FOR WORKING OF THE LIFT

उद्वाहन (नवीन)


श्री / सर्वश्री : महाराष्ट्र इंस्टीट्यूट ऑफ मेडिकल सायन्स, आणि रिसर्च मेडिकल कॉलेज, विश्वनाथपुरम
अंबेजोगाई रोड, कासारगाव,, लातूर, लातूर, ४१३५३१


उद्वाहनधारक याना मुंबई उद्वाहन नियम, १९५८ च्या नियम ४ (२) च्या तरतुदीनुसार खालील अटीच्या अधीन राहून नमूद
केलेले उद्वाहन चालविण्याची अनुज्ञप्ती याद्वारे मंजूर करण्यात येत आहे.

उद्वाहन असलेल्या जागेचा पत्ता व स्थान : महाराष्ट्र इंस्टीट्यूट ऑफ मेडिकल सायन्स, आणि रिसर्च मेडिकल
कॉलेज, विश्वनाथपुरम, अंबेजोगाई रोड, कासारगाव,, लातूर, लातूर, ४१३५३१

उद्वाहनाचा तपशील DETAILS OF THE LIFT

- | | |
|--|--|
| (1) Make of lift: J K Qualitech Pvt Ltd. Elev Co., | (2) Capacity of lift: 408 Kg./ 6 Persons |
| Latur | (4) Speed of lift: 0.6700 m/s (V/s) |
| (3) Horse Power of Motor: 5.00 HP | (6) No. of Stop: Floors G+3, stops 4, Landing 4. |
| (5) Type of Drive: A.C.Gearred Motor (Manual) | |


विद्युत निरीक्षक (सचिव अनुज्ञापक मंडळ व उद्वाहन
निरीक्षक) मुंबई
Electrical Inspector (Secretary Licensing Board &
Lift Inspector) Mumbai


मुख्य विद्युत निरीक्षक,
प्रमुख विद्युत निरीक्षण केंद्र,
उद्योग ऊर्जा व कामगार विभाग
औरंगाबाद

Conditions:-

१. Change of name of the Owner or Society shall be communicated to this office to modify the licence accordingly.
२. It will be the responsibility of the Owner to give the Maintenance of the Lift to the Registered lift Contractor.
३. Owner and the Lift Contractor are fully responsible to keep the lift in safe working condition.



१९५२४४२२६४३५५८९४९८८८

AA2.१००१७७५१२९०६२०१९



Licence No.: मु.वि.नि/२९०६२०१९/२६२०८

महाराष्ट्र शासन
उद्योग, ऊर्जा व कामगार विभाग
मुख्य विद्युत निरीक्षक
तिसरा मजला, प्रशासकीय इमारत, रामकृष्ण चेंबूरकर मार्ग,
चेंबूर (पूर्व), मुंबई ४०००७१

उद्वाहन चालविण्याची अनुज्ञप्ती
(विना अग्निशामन) LICENCE FOR WORKING OF THE LIFT उद्वाहन (जवीन)

श्री / सर्वश्री : महाराष्ट्र इंस्टीट्यूट ऑफ मेडिकल सायन्स, आणि रिसर्च मेडिकल कॉलेज,
विश्वनाथपुरम, अंबेजोगाई रोड, कासारगाव,, लातूर, लातूर, ४१३५३१

उद्वाहनधारक याना मुंबई उद्वाहन नियम, १९५८ च्या नियम ४ (२) च्या तरतुदीनुसार खालील अटीच्या अधीन राहून नमूद केलेले उद्वाहन चालविण्याची अनुज्ञप्ती याद्वारे मंजूर करण्यात येत आहे.

उद्वाहन असलेल्या जागेचा पत्ता व स्थान : लिफ्ट नं - ०१, महाराष्ट्र इंस्टीट्यूट ऑफ मेडिकल साय, आणि रिसर्च मेडिकल कॉलेज, विश्वनाथपुरम, अंबेजोगाई रोड, कासारगाव,, लातूर, लातूर, ४१३५३१

उद्वाहनाचा तपशील
DETAILS OF THE LIFT

- (1) Make of lift: J K Qualitech Pvt Ltd. Elev Co., (2) Capacity of lift: 1080 Kg./ 16 Persons
Latur (3) Horse Power of Motor: 10.00 HP (4) Speed of lift: 0.5000 m/s (V/s)
(5) Type of Drive: A.C.Geared Motor (Auto) (6) No. of Stop: Floors G+2, stops 3, Landing 3.

विद्युत निरीक्षक (सचिव अनुज्ञापक मंडळ व उद्वाहन
निरीक्षक) मुंबई
Electrical Inspector (Secretary Licensing Board &
Lift Inspector) Mumbai

अग्निशामन
मुख्य विद्युत निरीक्षक,
प्रशासक, विद्युत निरीक्षक मंडळ
Chief Electrical Inspector
उद्योग ऊर्जा व कामगार विभाग
औरंगाबाद

Conditions:-

१. Change of name of the Owner or Society shall be communicated to this office to modify the licence accordingly.
२. It will be the responsibility of the Owner to give the Maintenance of the Lift to the Registered lift Contractor.
३. Owner and the Lift Contractor are fully responsible to keep the lift in safe working condition.

Regi. No. LI A/I/Lat42/5827
AA/ 9820 / 90 / 2092



Licence No.

99884

महाराष्ट्र शासन

उद्योग, ऊर्जा व कामगार विभाग

मुख्य अभियंता (विद्युत)

बांधकाम भवन, ३रा मजला,

मर्झबान रोड, फोर्ट, मुंबई ४०० ००९

दूरध्वनी क्र. ०२२-२२०९३४९५ / २२०९३४९६ / २२०९३४९७

उद्वाहन चालविण्याची अनुज्ञप्ती

LICENCE FOR WORKING OF THE LIFT

श्री. / सर्वश्री : एम.आय. एम. एस. आर. विश्वनाथ पुरम, आंबेजोगाई रोड, लातूर

उद्वाहनधारक यांना मुंबई उद्वाहन नियम, १९५८ च्या नियम ४ (२) च्या तरतुदीनुसार खालील अटीच्या अधीन राहून नमूद केलेले उद्वाहन चालविण्याची अनुज्ञप्ती याद्वारे मंजूर करण्यात येत आहे.

उद्वाहन असलेल्या जागेचा पत्ता व स्थान : साऊथ साईड, विंग 'बी' एम.आय. एम. एस. आर. विश्वनाथ पुरम, आंबेजोगाई रोड, लातूर.

उद्वाहनाचा तपशील

DETAILS OF THE LIFT

- | | |
|--|---|
| (1) Make of lift : <u>ए.के.इले.</u> | (2) Capacity of lift : <u>१०२०</u> kg./ <u>१५</u> Persons. |
| (3) Horse Power of Motor : <u>७.५ अ.श.</u> | (4) Speed of lift : <u>०.६५ मि.प्र.से.</u> |
| (5) Type of Drive : <u>बदलते गतीमान</u> | (6) No. of Stop : <u>तळमजला + लील मजले</u>
<u>(एकूण चार थांबे)</u> |

निग
विद्युत निरीक्षक

(सचिव, अनुज्ञापक मंडळ व उद्वाहन निरीक्षक) मुंबई
Electrical Inspector

(Secretary, Licensing Board & Lift Inspector) Mumbai
Dt 06/03/2013.

अय्यर
(२५२५१०६)
मुख्य अभियंता (विद्युत)
Chief Engineer (Elec.)

Conditions :

- (1) Change of Name of the Owner or Society shall be communicated to this office to modify the licence accordingly.
- (2) It will be the responsibility of the Owner to give the Maintenance of the Lift to the Registered lift Contractor.
- (3) Owner and the Lift Contractor are fully responsible to keep the lift in safe working condition.

विशेष सूचना : अनुज्ञप्ती चौकटीत बसवून उद्वाहनमध्ये लावणे आवश्यक आहे.

To be displayed in the lift car duly framed.

ortho (Word)

Regi. No. LIA/I/Latur/5835
AA/ 982E/ 90/2092



Licence No.

99.5203

महाराष्ट्र शासन

उद्योग, ऊर्जा व कामगार विभाग

मुख्य अभियंता (विद्युत)

बांधकाम भवन, ३रा मजला,

मर्झबान रोड, फोर्ट, मुंबई ४०० ००९

दूरध्वनी क्र. ०२२-२२०९३४९५ / २२०९३४९६ / २२०९३४९७

उद्वाहन चालविण्याची अनुज्ञप्ती

LICENCE FOR WORKING OF THE LIFT

श्री. / सर्वश्री : एम. आय. एम. एल. आर. विश्वनाथ पूरम, आंबेजोगाई रोड, लातूर.

उद्वाहनधारक यांना मुंबई उद्वाहन नियम, १९५८ च्या नियम ४ (२) च्या तरतुदीनुसार खालील अटींच्या अधीन राहून नमूद केलेले उद्वाहन चालविण्याची अनुज्ञप्ती याद्वारे मंजूर करण्यात येत आहे.

उद्वाहन असलेल्या जागेचा पत्ता व स्थान : विंग रती, नॉर्थ साईड, एम. आय. एम. एल. आर. विश्वनाथ पूरम, आंबेजोगाई रोड, लातूर

उद्वाहनाचा तपशील

DETAILS OF THE LIFT

- | | |
|-------------------------------------|--|
| (1) Make of lift : ए.के.इले. | (2) Capacity of lift : 9020 kg./पंधरा Persons. |
| (3) Horse Power of Motor : ७.५ अ.श. | (4) Speed of lift : ०.६५ मि.प्र.से. |
| (5) Type of Drive : बदले गलीभान | (6) No. of Stop : एक मजला + तीन मजले. |

विद्युत निरीक्षक

(सचिव, अनुज्ञापक मंडळ व उद्वाहन निरीक्षक) मुंबई

Electrical Inspector

(Secretary, Licensing Board & Lift Inspector) Mumbai

D# 06/03/2013.

(एकूण चार थांबे)

मुख्य अभियंता (विद्युत)

Chief Engineer (Elec.)

Conditions :

- (1) Change of Name of the Owner or Society shall be communicated to this office to modify the licence accordingly.
- (2) It will be the responsibility of the Owner to give the Maintenance of the Lift to the Registered lift Contractor.
- (3) Owner and the Lift Contractor are fully responsible to keep the lift in safe working condition.

11 MAR 2013

विशेष सूचना : अनुज्ञप्ती चौकटीत बसवून उद्वाहनमध्ये लावणे आवश्यक आहे.

To be displayed in the lift car duly framed.

0867 (wand)